Tailored Dental Ceramics

6310 Sashabaw Road • Suite C • Clarkston, Michigan 48346-2260
Phone: 248.625.6322 • www.tailoreddental.com • Fax: 248.625.0655

DOCTOR PHONE

ADDRESS

CITY STATE ZIP

PATIENT AGE SEX M/F

DATE SENT DATE WANTED ☐ STUDY MODEL ☐ PHOTOS

METAL TRY IN: ☐ ☐ BISQUE TRY IN: ☐ FINISH

OCCLUSAL SURFACE: ☐ METAL ☐ PORCELAIN
BUCCAL MARGINS: ☐ PORC. ☐ METAL BAND ☐ PORC. SHOULDER
OPPOSING TEETH TO BE RESTORED: ☐ YES ☐ NO ☐ RELIEVED
GINGIVAL EMBRASURES: ☐ CLOSED ☐ NORMAL ☐ OPEN

SHADE INSTRUCTIONS

OCCLUSAL STAINING: ☐ NONE ☐ LIGHT ☐ MEDIUM ☐ HEAVY
SURFACE TEXTURE ☐ SMOOTH ☐ MODERATE ☐ HEAVY



Shade

Button enclosed ☐

INCLUDE STUDY MODEL FOR ANTERIOR TEETH

Rx INSTRUCTIONS

PORCELAIN TO METAL DESIGN

HAS THIS CASE BEEN DISINFECTED? ☐ YES ☐ NO SEND SUPPLIES: ☐ LABELS ☐ RX ☐ BAGS ☐ BOXES

Dentist's Signature _____ LICENSE # _____

TYPE OF RESTORATION

CAPTEK . . . . . ☐
CAST CROWN . . . . . ☐
CERCON . . . . . ☐
EMPRESS . . . . . ☐
ERIS . . . . . ☐
FORTRESS . . . . . ☐
IMPLANT . . . . . ☐
LAVA . . . . . ☐
PORCELAIN LAMINATE . . . ☐
PORCELAIN TO METAL . . . ☐

PORCELAIN METALS	C&B METALS
☐ SP 2% NOBLE	☐ 20% NOBLE
☐ 52% HIGH NOBLE	☐ PMW NOBLE
☐ 87% HIGH NOBLE	☐ 40% HIGH NOBLE
☐ NON-PREC.	☐ 75% HIGH NOBLE

PONTIC DESIGN

RIDGE RELIEF: ☐ SCRAPE ☐ SOCKET ☐ NONE

CONTACT

Point ☐ Normal ☐ Heavy & Broad ☐

PORCELAIN VENEERS PLEASE PROVIDE FOLLOWING INFO:

PURPOSE OF VENEER:

☐ CHANGE COLOR
☐ CLOSE SPACES
☐ CORRECT MALALIGNMENT
☐ INCREASE LENGTH____ MM

SHADE OF PREPARED TEETH:

SHADE DESIRED:

PORCELAIN LAMINATE:

OPAQUE LINER ☐ YES ☐ NO